

```

1  /*
2  * (C) Copyright The Alpha School System Pty Ltd 2019 All Rights Reserved
3  *
4  * File: d:/cvs_repository/tassweb_dev/reportconfig/stylesheets/genericStudent_v50.css
5  *
6  * Version: Ver. 01.050.0.000
7  * Date: 2019/03/14 10:28:00
8  *
9  *
10 */
11
12 /* Original stylesheet - as shipped in Version 43.1 of Tass.web
13 * Stylesheet to define font size and layout elements for the Generic Student Report.
14 * Properties defined in this stylesheet may only be modified. Removing properties will
15 * cause the report to Error or function incorrectly.
16 *
17 * Properties and correct syntax guide:
18 *
19 * height:                100pt;          (In Points (pt). Typically used for defining max height of an embedded image OR a bounding box or canvas)
20 * width:                 100pt;          (In Points (pt). Typically used for defining max width of an embedded image OR a bounding box or canvas)
21 * padding-top:           5pt;           (In Points (pt). Typically used for defining the top padding of content such as table content)
22 * padding-bottom:        5pt;           (In Points (pt). Typically used for defining the bottom padding of content such as table content)
23 * padding-left:          5pt;           (In Points (pt). Typically used for defining the left padding of content such as table content)
24 * padding-right:         5pt;           (In Points (pt). Typically used for defining the right padding of content such as table content)
25 * font-size:             10pt;          (In Points (pt). Size of font)
26 * font-weight:           bold;           (Defined as text. Font Weight (normal or bold))
27 * font: (or font-family) Arial;         (Defined as Text. Case sensitive Font Name)
28 * color:                 RGB(31,50,98); (Color in HEX. Color of Font)
29 * background-color:      #CCCCCC;       (Color in HEX. Color of background. Typically used for Table background colors).
30 * x: (or left)           100pt;         (In Points (pt). Typically used for positioning elements at exact locations. typically used things like title pages).
31 * y: (or bottom)        100pt;         (In Points (pt). Typically used for positioning elements at exact locations. typically used things like title pages).
32 * border:                1pt solid RGB(31,50,98); ((1) Width in Points (currently 1pt ONLY). (2) Line type. (currently solid or none) (3) Line Color in HEX).
33 * border-left:           1pt solid RGB(31,50,98); ((1) Width in Points (currently 1pt ONLY). (2) Line type. (currently solid or none) (3) Line Color in HEX).
34 * border-right:          1pt solid RGB(31,50,98); ((1) Width in Points (currently 1pt ONLY). (2) Line type. (currently solid or none) (3) Line Color in HEX).
35 * border-bottom:         1pt solid RGB(31,50,98); ((1) Width in Points (currently 1pt ONLY). (2) Line type. (currently solid or none) (3) Line Color in HEX).
36 * border-top:            1pt solid RGB(31,50,98); ((1) Width in Points (currently 1pt ONLY). (2) Line type. (currently solid or none) (3) Line Color in HEX).
37 * align: (or text-align) left;           (Horizontal Alignment (left, center, right)).
38 * valign: (or vertical-align) top;       (Vertical Alignment (top, bottom, middle)).
39 * content:               "text";        (Single line Text. Can be used for label text on selected styles)
40 *
41 * Each Style items properties are defined between the open and close curly brackets.
42 *
43 * Any time an @ symbol is used followed by a name, the property will be substituted for a variable defined in the program.
44 * eg. @borderStyle would be set to "none" or "solid" depending on program logic.
45 *
46 * Overriding allows for elements of a style to be overwritten in child or in the same style. Useful when using "Selectors"
47 *
48 * Square brackets are used as "Selectors" this allows styles to be disabled or enabled based on conditions in properties
49 * defined in the program. eg .title .logoImage [image2path=""]
50 * This would indicate that this style may override properties in the style with the same name or create a new style where
51 * the image2path is equal to an empty string.
52 *
53 * Properties ( Currently available for use in "Selectors" )
54 *
55 * reportFont (Arial or )
56 * borderStyle (solid or none)
57 * image1path (unique location of the uploaded file, or empty string when not used)
58 * image2path (unique location of the uploaded file, or empty string when not used)
59 * expnotesPath (unique location of the uploaded file, or empty string when not used)
60 */
61
62 /* MARGIN PAGE STYLES - Used to setup page margins for subject pages. Useful for adjusting margins when using pre-printed stationery.*/
63 .document
64 {
65 /* In the online help sample this is style sheet element E51 */

```

```

66     margin-top:      80;
67 /* In the online help sample this is style sheet element E55 */
68     margin-bottom:   30;
69 /* In the online help sample this is style sheet element E52 */
70     margin-left:     40;
71 /* In the online help sample this is style sheet element E53 */
72     margin-right:    40;
73 }
74
75 /* ADDRESS LABEL - This is used to set up the address label page that prints before the report.
76 * This page can be used to show address details in a set location using the elements below. By using the left and bottom parameters you are able to move all
77 * elements anywhere on the page. The numbers are based on points 'pt'. */
78 .addresslabel
79 {
80     font-family:     Arial;
81     font-size:       35pt;
82     color:           RGB(31,50,98);
83     font-weight:     normal;
84 }
85
86 /* In the online help sample this is style sheet element E01 */
87 .addresslabel .parentname
88 {
89     font-family:     Arial;
90     font-size:       12pt;
91     color:           RGB(31,50,98);
92     font-weight:     normal;
93     left:            80pt;
94     bottom:          670pt;
95     width:           530pt;
96     height:          200pt;
97     text-align:     left;
98 }
99
100 /* In the online help sample this is style sheet element E02 */
101 .addresslabel .address
102 {
103     font-family:     Arial;
104     font-size:       12pt;
105     color:           RGB(31,50,98);
106     font-weight:     normal;
107     left:            80pt;
108     bottom:          650pt;
109     width:           530pt;
110     height:          200pt;
111     text-align:     left;
112 }
113
114 .addresslabel .address_barcode
115 {
116     font-size:       38pt;
117     color:           RGB(31,50,98);
118     font-weight:     normal;
119     left:            80pt;
120     bottom:          685pt;
121     width:           530pt;
122     height:          200pt;
123     text-align:     left;
124 }
125
126 /* In the online help sample this is style sheet element E03 */
127 .addresslabel .studentname
128 {
129     font-family:     Arial;
130     font-size:       12pt;

```

```

131     color:           RGB(31,50,98);
132     font-weight:    normal;
133     left:           80pt;
134     bottom:         560pt;
135     width:          530pt;
136     height:         200pt;
137     text-align:     left;
138 }
139
140 /* TITLE PAGE STYLES – Used to setup the elements on the report cover page. By setting parameters in the .title section any child element
141 * that does not have that value will automatically be allocated values in this section. */
142 .title
143 {
144     font-family:     Arial;
145     font-size:       35pt;
146     color:           RGB(31,50,98);
147     font-weight:    normal;
148 }
149
150 /* Used to set the school name.*/
151 /* In the online help sample this is style sheet element E04 */
152 .title .companyTitle
153 {
154     font-family:     Arial;
155     font-size:       35pt;
156     color:           RGB(31,50,98);
157     font-weight:    normal;
158     width:          550pt;
159     height:         200pt;
160     left:           25pt;
161     bottom:         720pt;
162     text-align:     center;
163 }
164
165 /* When using 2 logo images this item controls logo image 1. The size of the image is defined by using the height and width values.*/
166 /* In the online help sample this is style sheet element E05 */
167 .title .logoImage
168 {
169     width:           0pt;
170     height:          0pt;
171     left:           198pt;
172     bottom:         450pt;
173     text-align:     center;
174 }
175
176 /* Used to define the student code if the option on the First Page tab in TASS.web is selected at the report run time. */
177 /* In the online help sample this is style sheet element E11 */
178 .title .studentCode
179 {
180     left:           220pt;
181     bottom:         345pt;
182     text-align:     left;
183     font-family:     Arial;
184     font-size:       15pt;
185     font-weight:    normal;
186     /*width:         110pt;
187     height:         60pt;*/
188     color:           RGB(31,50,98);
189 }
190 /* Used to define personalised text preceding the student code by entering text in the content tag. This will only display if the student code is included on the report. */
191 /* In the online help sample this is style sheet element E10 */
192 .title .studentCode .label
193 {
194     left:           100pt;
195     font-size:       17pt;

```

```

196     font-weight:    bold;
197     /*width:        110pt;
198     height:         60pt;*/
199     text-align:     left;
200     color:          RGB(31,50,98);
201     content:        "Stud. Code:";
202 }
203
204 /* Applicable when only using 1 logo image. The size of the image is defined by using the height and width values.
205 * 'image2path=' only to be used when not defining a logo image at run time. */
206 .title .logoImage [image2path=""]
207 {
208     left:           300pt;
209 }
210
211 /* Applicable when only using 2 logo images. The size of the image is defined by using the height and width values. */
212 /* In the online help sample this is style sheet element E06 */
213 .title .logoImage2
214 {
215     width:          200pt;
216     height:         200pt;
217     left:           210pt;
218     bottom:         450pt;
219     text-align:     center;
220 }
221
222 /* Defines the total number of pages on the cover page of the report. Personalised text preceding the number of pages can be included by entering text in the content tag.
223 * Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
224 /* In the online help sample this is style sheet element E23 */
225 .title .pages
226 {
227     left:           295pt;
228     bottom:         50pt;
229     text-align:     center;
230     font-family:    Arial;
231     font-size:      15pt;
232     color:          RGB(31,50,98);
233     content:        "Number of Pages:";
234 }
235
236
237 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
238 /* In the online help sample this is style sheet element E13 */
239 .title .studentYearGroup
240 {
241     left:           220pt;
242     bottom:         320pt;
243     text-align:     left;
244     font-family:    Arial;
245     font-size:      15pt;
246     color:          RGB(31,50,98);
247 }
248
249 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
250 /* In the online help sample this is style sheet element E12 */
251 .title .studentYearGroup .label
252 {
253     left:           100pt;
254     font-size:      17pt;
255     font-weight:    bold;
256     content:        "Grade:";
257 }
258
259 /* User definable content fields to be used on the cover page only. This will allow for additional text to be entered on the cover page using the content tag
260 * (Eg school motto, school address, information schools may wish to disclose to parents, etc). Maximum of 10 user defined fields can be used. */

```

```
261 /* In the online help sample this is style sheet element E24 */
262 .title .userdef1
263 {
264     left:           100pt;
265     bottom:         270pt;
266     text-align:     left;
267     font-family:    Arial;
268     font-size:      17pt;
269     color:          RGB(31,50,98);
270     content:        "Campus:";
271     width:          0pt;
272     height:         0pt;
273     font-weight:    bold;
274 }
275
276 .title .userdef2
277 {
278     left:           297pt;
279     bottom:         115pt;
280     text-align:     center;
281     font-family:    Arial;
282     font-size:      14pt;
283     color:          RGB(74,200,24);
284     content:        "Attendance";
285     width:          0pt;
286     height:         0pt;
287     font-weight:    bold;
288 }
289
290
291 .title .userdef3
292 {
293     left:           160pt;
294     bottom:         50pt;
295     text-align:     left;
296     font-family:    Arial;
297     font-size:      12pt;
298     color:          RGB(31,50,98);
299     content:        "";
300     width:          0pt;
301     height:         0pt;
302 }
303
304 .title .userdef4
305 {
306     left:           160pt;
307     bottom:         30pt;
308     text-align:     left;
309     font-family:    Arial;
310     font-size:      12pt;
311     color:          RGB(31,50,98);
312     text-transform: uppercase;
313     content:        "";
314     width:          0pt;
315     height:         0pt;
316 }
317
318 .title .userdef5
319 {
320     left:           220pt;
321     bottom:         50pt;
322     text-align:     left;
323     font-family:    Arial;
324     font-size:      12pt;
325     color:          RGB(31,50,98);
```

```
326     content:          "";
327     width:            0pt;
328     height:          0pt;
329 }
330
331 .title .userdef6
332 {
333     left:            220pt;
334     bottom:         30pt;
335     text-align:     left;
336     font-family:    Arial;
337     font-size:      12pt;
338     color:          RGB(31,50,98);
339     content:        "";
340     width:          0pt;
341     height:         0pt;
342 }
343
344 .title .userdef7
345 {
346     left:            280pt;
347     bottom:         50pt;
348     text-align:     left;
349     font-family:    Arial;
350     font-size:      12pt;
351     color:          RGB(31,50,98);
352     content:        "";
353     width:          0pt;
354     height:         0pt;
355 }
356
357 .title .userdef8
358 {
359     left:            280pt;
360     bottom:         30pt;
361     text-align:     left;
362     font-family:    Arial;
363     font-size:      12pt;
364     color:          RGB(31,50,98);
365     content:        "";
366     width:          0pt;
367     height:         0pt;
368 }
369
370 .title .userdef9
371 {
372     left:            340pt;
373     bottom:         50pt;
374     text-align:     left;
375     font-family:    Arial;
376     font-size:      12pt;
377     color:          RGB(31,50,98);
378     content:        "";
379     width:          0pt;
380     height:         0pt;
381 }
382
383 .title .userdef10
384 {
385     left:            340pt;
386     bottom:         30pt;
387     text-align:     left;
388     font-family:    Arial;
389     font-size:      12pt;
390     color:          RGB(31,50,98);
```

```

391     content:          "";
392     width:            0pt;
393     height:           0pt;
394 }
395
396 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
397 /* In the online help sample this is style sheet element E19 */
398 .title .studentHouse
399 {
400     left:              470pt;
401     bottom:            320pt;
402     text-align:        left;
403     font-family:       Arial;
404     font-size:         15pt;
405     color:             RGB(31,50,98);
406 }
407
408 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
409 /* In the online help sample this is style sheet element E18 */
410 .title .studentHouse .label
411 {
412     left:              330pt;
413     font-size:         17pt;
414     font-weight:       bold;
415     content:           "House:";
416 }
417
418 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
419 /* In the online help sample this is style sheet element E15 */
420 .title .studentAltId
421 {
422     left:              470pt;
423     bottom:            295pt;
424     text-align:        left;
425     font-family:       Arial;
426     font-size:         15pt;
427     color:             RGB(31,50,98);
428 }
429
430 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
431 /* In the online help sample this is style sheet element E14 */
432 .title .studentAltId .label
433 {
434     left:              330pt;
435     font-size:         17pt;
436     font-weight:       bold;
437     content:           "Alternate ID:";
438 }
439
440 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
441 /* In the online help sample this is style sheet element E17 */
442 .title .studentFormClass
443 {
444     left:              220pt;
445     bottom:            295pt;
446     text-align:        left;
447     font-family:       Arial;
448     font-size:         15pt;
449     color:             RGB(31,50,98);
450 }
451
452 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
453 /* In the online help sample this is style sheet element E16 */
454 .title .studentFormClass .label
455 {

```

```

456     left:           100pt;
457     font-size:      17pt;
458     font-weight:    bold;
459     content:        "Form Class:";
460 }
461
462 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
463 /* In the online help sample this is style sheet element E08 */
464 .title .studentPhoto
465 {
466     width:           130pt;
467     height:          160pt;
468     left:            297pt;
469     bottom:          440pt;
470     text-align:      center;
471 }
472
473 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
474 /* In the online help sample this is style sheet element E21 */
475 .title .studentPCTutGrp
476 {
477     left:            470pt;
478     bottom:          345pt;
479     text-align:      left;
480     font-family:     Arial;
481     font-size:       15pt;
482     color:           RGB(31,50,98);
483 }
484
485 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
486 /* In the online help sample this is style sheet element E20 */
487 .title .studentPCTutGrp .label
488 {
489     left:            330pt;
490     font-size:       17pt;
491     font-weight:     bold;
492     content:        "PC Tutor Group:";
493 }
494
495 /* Optional display if tick box option on the First Page tab in TASS.web is selected at run time. */
496 /* In the online help sample this is style sheet element E22 */
497 .title .studentCampus
498 {
499     left:            220pt;
500     bottom:          270pt;
501     text-align:      left;
502     font-family:     Arial;
503     font-size:       15pt;
504     color:           RGB(31,50,98);
505 }
506
507 /* Used to display the reporting period description as defined in the Academic Reporting Setup area in TASS.web. */
508 /* In the online help sample this is style sheet element E07 */
509 .title .periodDescription
510 {
511     font-family:     Arial;
512     font-size:       35pt;
513     color:           RGB(31,50,98);
514     font-weight:     normal;
515     left:            295pt;
516     bottom:          640pt;
517     text-align:      center;
518 }
519
520 /* In the online help sample this is style sheet element E09 */

```



```

521 .title .studentName
522 {
523     font-family:    Arial;
524     font-size:      30pt;
525     color:           RGB(74,200,24);
526     font-weight:    normal;
527     left:            35pt;
528     bottom:         410pt;
529     width:           530pt;
530     height:         200pt;
531     text-align:     center;
532 }
533
534 /* Victorian schools only. Used to define the student's VSN number. */
535 .title .vsn
536 {
537     font-family:    Arial;
538     font-size:      17pt;
539     color:           RGB(31,50,98);
540     font-weight:    normal;
541     left:            35pt;
542     bottom:         140pt;
543     width:           530pt;
544     height:         200pt;
545     text-align:     center;
546 }
547
548 /* This can be used to include the General comments subject on the cover page of the report.
549 * The position 'Cover Page' must be selected from the Other Options tab in TASS.web at run time for this to be included. */
550 .title .generalComments
551 {
552     font-family:    Arial;
553     font-size:      14pt;
554     font-weight:    normal;
555     color:           RGB(31,50,98);
556     border:         1pt none RGB(31,50,98);
557     left:            43pt;
558     bottom:         200pt;
559     width:           515pt;
560     border-width:   1pt;
561     border-style:   solid;
562     text-align:     center;
563 }
564
565 .title .generalComments [borderStyle="none"]
566 {
567     border:         none;
568 }
569
570 /* This will control the Subject Name placement for the General Comment on the cover page only. */
571 .title .generalComments .subjectName
572 {
573     font-family:    Arial;
574     font-size:      14pt;
575     font-weight:    bold;
576     /*background-color: #CCCCCC;*/
577     color:           RGB(74,200,24);
578     border-width:   0pt;
579     border-style:   none;
580     border-top:     0pt solid RGB(31,50,98);
581     border-bottom:  0pt solid RGB(31,50,98);
582     border-left:   0pt solid RGB(31,50,98);
583     border-right:  0pt solid RGB(31,50,98);
584     text-align:     center;
585 }

```

```

586
587 /* This will control the space between the subject name and the comment text on the cover page only. */
588 .title .generalComments .spacer
589 {
590     fixed-height:      5pt;
591     border:            none;
592 }
593
594 /* This will control the comment text placement for the General Comment on the cover page only. */
595 .title .generalComments .comment
596 {
597     font-family:      Arial;
598     font-size:        10pt;
599     font-weight:      normal;
600     font-style:       none;
601     width:            515pt;
602     height:           55pt;
603     border-width:     0pt;
604     border-style:     none;
605     border-top:       0pt solid RGB(31,50,98);
606     border-bottom:    0pt solid RGB(31,50,98);
607     border-left:      0pt solid RGB(31,50,98);
608     border-right:     0pt solid RGB(31,50,98);
609     padding-left:     5pt;
610     padding-right:    5pt;
611     text-align:       justified;
612     fixed-leading:    2.0;
613 }
614
615 /* This will control the teacher Name placement for the General Comment on the cover page only. */
616 /* In the online help sample this is style sheet element E88 */
617 .title .generalComments .teacher
618 {
619     font-family:      Arial;
620     font-size:        0pt;
621     color:            RGB(31,50,98);
622     font-weight:      normal;
623     left:             35pt;
624     bottom:           250pt;
625     width:            530pt;
626     height:           200pt;
627     border:           none;
628     text-align:       center;
629 }
630
631 /* Label to print beside the General Comments teacher name. Text entered in content field. */
632 /* In the online help sample this is style sheet element E87 */
633 .title .generalComments .teacher .label
634 {
635     font-weight:      bold;
636     content:          "Form Teacher:";
637 }
638
639 /* Controls absentee information that prints on Cover Page. Set font-size to 0pt to disable. */
640 /* In the online help sample this is style sheet element E80 */
641 .title .absentLine1
642 {
643     font-family:      Arial;
644     font-size:        10pt;
645     color:            RGB(31,50,98);
646     font-weight:      normal;
647     left:             265pt;
648     bottom:           105pt;
649     width:            530pt;
650     height:           200pt;

```

```

651     text-align:      left;
652 }
653
654 .title .absentLine2
655 {
656     font-family:      Arial;
657     font-size:        10pt;
658     color:            RGB(31,50,98);
659     font-weight:      normal;
660     left:             265pt;
661     bottom:           90pt;
662     width:            530pt;
663     height:           200pt;
664     text-align:      left;
665 }
666
667 .title .absentLine3
668 {
669     font-family:      Arial;
670     font-size:        0pt;
671     color:            RGB(31,50,98);
672     font-weight:      normal;
673     left:             80pt;
674     bottom:           100pt;
675     width:            530pt;
676     height:           200pt;
677     text-align:      left;
678 }
679
680 /* PAGE HEADER STYLES - Used to setup the header section on all subject pages. */
681 .header
682 {
683     font-family:      Arial;
684     font-size:        8pt;
685     color:            RGB(31,50,98);
686     font-weight:      normal;
687 }
688
689 /* In the online help sample this is style sheet element E42 */
690 .header .studentName
691 {
692     font-family:      Arial;
693     font-size:        8pt;
694     left:             50pt;
695     bottom:           800pt;
696     text-align:      left;
697 }
698
699 /* Will print the students Victorian Student Number as part of the header. */
700 .header .vsn
701 {
702     font:             Times New Roman;
703     font-size:        14pt;
704     left:             280pt;
705     bottom:           800pt;
706     text-align:      left;
707 }
708
709 /* This will include the image selected as logoImage 1 in the header. Altering height and width here will not effect cover page. */
710 /* In the online help sample this is style sheet element E50 */
711 .header .logoImage
712 {
713     width:            60pt;
714     height:           40pt;
715     left:             265pt;

```

```
716     bottom:          785pt;
717 }
718
719 /* Used to display the reporting period description as defined in the Academic Reporting Setup area in TASS.web */
720 /* In the online help sample this is style sheet element E49 */
721 .header .yearPeriod
722 {
723     font-family:      Arial;
724     font-size:        8pt;
725     left:             465pt;
726     bottom:          800pt;
727     text-align:       left;
728 }
729
730 /* In the online help sample this is style sheet element E48 */
731 .header .studentHouse
732 {
733     left:             80pt;
734     bottom:          800pt;
735     text-align:       left;
736     font-family:      Arial;
737     font-size:        8pt;
738     width:           110pt;
739     height:          30pt;
740     color:           RGB(31,50,98);
741 }
742
743 /* In the online help sample this is style sheet element E47 */
744 .header .studentHouse .label
745 {
746     left:             50pt;
747     text-align:       left;
748     font-family:      Arial;
749     font-size:        8pt;
750     width:           110pt;
751     height:          30pt;
752     color:           RGB(31,50,98);
753     content:         "House:";
754 }
755
756 /* Will include the date the report is printed.*/
757 /* In the online help sample this is style sheet element E44 */
758 .header .reportDate
759 {
760     font:             Arial;
761     font-size:        8pt;
762     left:             75pt;
763     bottom:          784pt;
764     text-align:       left;
765     color:           RGB(31,50,98);
766 }
767
768 /* In the online help sample this is style sheet element E43 */
769 .header .reportDate .label
770 {
771     font:             Arial;
772     font-size:        8pt;
773     left:             50pt;
774     text-align:       left;
775     width:           110pt;
776     height:          30pt;
777     content:         "Date:";
778 }
779
780 /* In the online help sample this is style sheet element E82 */
```

```

781 .header .studentPCTutGrp
782 {
783     font-family:    Arial;
784     font-size:      8pt;
785     left:           530pt;
786     bottom:        783pt;
787     text-align:    left;
788     color:         RGB(31,50,98);
789 }
790
791 /* In the online help sample this is style sheet element E81 */
792 .header .studentPCTutGrp .label
793 {
794     left:           465pt;
795     text-align:    left;
796     font-family:    Arial;
797     font-size:      8pt;
798     color:         RGB(31,50,98);
799     content:       "PC Tutor Group:";
800 }
801
802 /* In the online help sample this is style sheet element E83 */
803 .header .studentAltId
804 {
805     font-family:    Arial;
806     font-size:      8pt;
807     left:           520pt;
808     bottom:        781pt;
809     text-align:    left;
810     width:         110pt;
811     height:        30pt;
812     color:         RGB(31,50,98);
813 }
814
815 /* In the online help sample this is style sheet element E84 */
816 .header .studentAltId .label
817 {
818     left:           465pt;
819     text-align:    left;
820     font-family:    Arial;
821     font-size:      8pt;
822     width:         110pt;
823     height:        30pt;
824     color:         RGB(31,50,98);
825     content:       "Alt Stud. Code:";
826 }
827 /* In the online help sample this is style sheet element E85 */
828 .header .studentCampus
829 {
830     font-family:    Arial;
831     font-size:      8pt;
832     left:           90pt;
833     bottom:        784pt;
834     text-align:    left;
835     width:         110pt;
836     height:        30pt;
837     color:         RGB(31,50,98);
838 }
839
840 /* In the online help sample this is style sheet element E86 */
841 .header .studentCampus .label
842 {
843     left:           50pt;
844     text-align:    left;
845     font-family:    Arial;

```

```

846     font-size:      8pt;
847     width:          110pt;
848     height:         30pt;
849     color:          RGB(31,50,98);
850     content:        "Campus:";
851 }
852
853 /* Will print the students' Form Class as part of the header. */
854 /* In the online help sample this is style sheet element E46 */
855 .header .classForm
856 {
857     font-family:    Arial;
858     font-size:      8pt;
859     left:           90pt;
860     bottom:         775pt;
861     text-align:     left;
862     width:          110pt;
863     height:         30pt;
864     color:          RGB(31,50,98);
865 }
866
867 /* In the online help sample this is style sheet element E45 */
868 .header .classForm .label
869 {
870     left:           50pt;
871     text-align:     left;
872     font-family:    Arial;
873     font-size:      8pt;
874     width:          110pt;
875     height:         30pt;
876     color:          RGB(31,50,98);
877     content:        "Class:";
878 }
879
880 /* Will print the students' Year Group as part of the header. */
881 /* In the online help sample this is style sheet element E100 */
882 .header .studentYearGroup
883 {
884     font-family:    Arial;
885     font-size:      0pt;
886     left:           285pt;
887     bottom:         800pt;
888     text-align:     center;
889 }
890
891 /* Label to print beside the student year group. Text entered in content field. */
892 /* In the online help sample this is style sheet element E99 */
893 .header .studentYearGroup .label
894 {
895     content:        "Year:";
896     left:           265pt;
897 }
898
899 /* Will print the Student Code as part of the header. */
900 .header .studentCode
901 {
902     font-family:    Arial;
903     font-size:      8pt;
904     left:           512pt;
905     bottom:         800pt;
906     text-align:     left;
907     width:          110pt;
908     height:         30pt;
909     color:          RGB(31,50,98);
910 }

```

```

911 .header .studentCode .label
912 {
913     left:           465pt;
914     text-align:    left;
915     font-family:   Arial;
916     font-size:     8pt;
917     width:         110pt;
918     height:        30pt;
919     color:         RGB(31,50,98);
920     content:       "Stud. Code:";
921 }
922 }
923
924 /* Userdefinable content fields to be used on the header of all subject pages.
925 * This will allow for additional text to be entered using the content tag (Eg school motto, school address, information schools may wish to disclose to parents, etc).
926 * Maximum of 10 user defined fields can be used. */
927 .header .userdef1
928 {
929     font-family:   Arial;
930     font-size:     12pt;
931     font-weight:   bold;
932     left:          295pt;
933     bottom:        780pt;
934     text-align:    center;
935     content:       "";
936 }
937
938 .header .userdef2
939 {
940     font-family:   Arial;
941     font-size:     12pt;
942     font-weight:   bold;
943     left:          295pt;
944     bottom:        760pt;
945     text-align:    center;
946     content:       "";
947 }
948
949 /* The following three style items demonstrates a possible VCE subject setup. The setup uses a number of selectors to retrieve data to be included.
950 * [(sub_cat)=""] will look at the subject category allocated to all subjects. There is no limit to the number of subject categories that can be targeted.
951 * If VCE has been allocated the subject will display with the additional header options below. */
952 .header [(sub_cat)="VCE"]
953 {
954     display:       none;
955 }
956
957 /* In the online help sample this is style sheet element E26 */
958 .header .userdef1 [(sub_cat)="VCE"]
959 {
960     content:       "VICTORIAN CERTIFICATE OF EDUCATION";
961 }
962
963 /* In the online help sample this is style sheet element E102 */
964 .header .userdef2 [(sub_cat)="VCE"]
965 {
966     content:       "UNIT #yr12_su# #sub_cat# REPORT #res_year#";
967 }
968
969 /* STUDENT REPORT FOOTER STYLES - Used to setup the report footer on all subject pages.*/
970 /* In the online help sample this is style sheet element E79 */
971 .footer
972 {
973     font-family:   Arial;
974     font-size:     8pt;
975     color:         RGB(31,50,98);

```

```

976     font-weight:      normal;
977     text-align:       center;
978 }
979
980 /* Used to define the space above the End of Report section on the last page of the report.*/
981 /* In the online help sample this is style sheet element E78 */
982 .footer .spacer
983 {
984     height:           40pt;
985 }
986
987 /* Displays Page x of x in the footer section. */
988 /* In the online help sample this is style sheet element E58 */
989 .footer .pages
990 {
991     left:             550pt;
992     bottom:          30pt;
993     text-align:      right;
994     font-family:     Arial;
995     font-size:       8pt;
996     color:           RGB(31,50,98);
997 }
998
999 /* OPTIONAL */
1000 /* Will print the Student Code as part of the footer. */
1001 /* In the online help sample this is style sheet element E57 */
1002 .footer .studentCode
1003 {
1004     font:            Arial;
1005     font-size:       8pt;
1006     left:           95pt;
1007     bottom:        30pt;
1008     text-align:    left;
1009 }
1010
1011 /* In the online help sample this is style sheet element E56 */
1012 .footer .studentCode .label
1013 {
1014     font:            Arial;
1015     font-size:       8pt;
1016     left:           40pt;
1017     bottom:        30pt;
1018     text-align:    left;
1019     content: "Student Code:";
1020 }
1021
1022 /* SUBJECT SUMMARY STYLES - Controls the Subject Summary grid that prints on the cover page of the report if selected at runtime */
1023 .summary
1024 {
1025     font-family:     Arial;
1026     border:          1pt solid RGB(31,50,98);
1027     font-size:       8pt;
1028     font-weight:     normal;
1029     text-align:      left;
1030     alignment:       center;
1031 }
1032
1033
1034 /* Controls the width and position of grid */
1035 .summary .columns
1036 {
1037     left:            145pt;
1038     bottom:          250pt;
1039     width:           315pt;
1040 }

```



```

1041 /* Controls the width of subject column */
1042 /* In the online help sample this is style sheet element E96 */
1043 .summary .columns .subject
1044 {
1045     width:          40%;
1046 }
1047
1048 /* Controls the width of teacher column */
1049 /* In the online help sample this is style sheet element EXX */
1050 .summary .columns .subject
1051 {
1052     width:          25%;
1053 }
1054
1055 /* Controls the width of 1st objective column */
1056 /* In the online help sample this is style sheet element E97 */
1057 .summary .columns .obj1
1058 {
1059     width:          30%;
1060 }
1061
1062 /* Controls the width of 2nd objective column (optional) */
1063 /* In the online help sample this is style sheet element E98 */
1064 .summary .columns .obj2
1065 {
1066     width:          30%;
1067 }
1068
1069 /* Controls the grid heading and column headings */
1070 .summary .title
1071 {
1072     font-family:    Arial;
1073     font-size:      12pt;
1074     font-weight:    normal;
1075     padding-bottom: 3pt;
1076     padding-left:   3pt;
1077     vertical-align: middle;
1078     border:         1pt solid RGB(31,50,98);
1079     color:          RGB(31,50,98);
1080 }
1081
1082 /* Controls the grid heading (optional) */
1083 /* In the online help sample this is style sheet element E89 */
1084 .summary .title .heading
1085 {
1086     font-size:      14pt;
1087     font-weight:    bold;
1088     /*font-style:    italic;*/
1089     padding-bottom: 10pt;
1090     text-align:     center;
1091     vertical-align: middle;
1092     border:         none;
1093     color:          RGB(74,200,24);
1094     content:        "Academic Performance";
1095 }
1096
1097 /* Controls the subject column heading */
1098 /* In the online help sample this is style sheet element E90 */
1099 .summary .title .subject
1100 {
1101     border:         1pt solid RGB(31,50,98);
1102     font-family:    Arial;
1103     font-size:      10pt;
1104     font-weight:    normal;

```

```

1106     text-align:      left;
1107     content:         "Subject";
1108 }
1109
1110 /* Controls the teacher column heading */
1111 /* In the online help sample this is style sheet element EXX */
1112 .summary .title .teacher
1113 {
1114     border:          1pt solid RGB(31,50,98);
1115     font-family:     Arial;
1116     font-size:       10pt;
1117     font-weight:     normal;
1118     text-align:      left;
1119     content:         "Teacher";
1120 }
1121
1122 /* Controls the 1st objective column heading */
1123 /* In the online help sample this is style sheet element E91 */
1124 .summary .title .obj1
1125 {
1126     border:          1pt solid RGB(31,50,98);
1127     font-family:     Arial;
1128     font-size:       10pt;
1129     font-weight:     normal;
1130     text-align:      center;
1131     display:         inline;
1132 }
1133
1134 /* Controls the 2nd objective column heading (optional) */
1135 /* In the online help sample this is style sheet element E92 */
1136 .summary .title .obj2
1137 {
1138     border:          1pt solid RGB(31,50,98);
1139     font-family:     Arial;
1140     font-size:       10pt;
1141     font-weight:     normal;
1142     text-align:      center;
1143     display:         inline;
1144 }
1145 /* Controls the vertical space after the column heading row (optional) */
1146 .summary .title .spacer
1147 {
1148     fixed-height:    0pt;
1149     border-bottom:   1pt solid RGB(31,50,98);
1150     border:          none;
1151 }
1152
1153 /* Controls the grid of subjects and result */
1154 .summary .grid
1155 {
1156     font-family:     Arial;
1157     font-size:       10pt;
1158     font-weight:     normal;
1159     padding-bottom:  3pt;
1160     padding-left:    3pt;
1161     padding-right:   5pt;
1162     vertical-align:  middle;
1163     text-align:      right;
1164     border:          1pt solid RGB(31,50,98);
1165     color:           RGB(31,50,98);
1166 }
1167
1168 /* Controls the vertical space after each subject row (optional) */
1169 .summary .grid .spacer
1170 {

```

```

1171     fixed-height:    0pt;
1172     border:          none;
1173 }
1174
1175 /* Controls the subject description */
1176 /* In the online help sample this is style sheet element E93 */
1177 .summary .grid .subject
1178 {
1179     font-family:     Arial;
1180     font-size:       10pt;
1181     font-weight:     normal;
1182     text-align:      left;
1183 }
1184
1185 /* Controls the teacher description */
1186 /* In the online help sample this is style sheet element EXX */
1187 .summary .grid .teacher
1188 {
1189     font-family:     Arial;
1190     font-size:       10pt;
1191     font-weight:     normal;
1192     text-align:      left;
1193 }
1194
1195 /* Controls the results for the 1st objective */
1196 /* In the online help sample this is style sheet element E94 */
1197 .summary .grid .obj1
1198 {
1199     font-family:     Arial;
1200     font-size:       10pt;
1201     font-weight:     normal;
1202     text-align:      center;
1203 }
1204
1205 /* Controls the results for the 2nd objective (optional) */
1206 /* In the online help sample this is style sheet element E95 */
1207 .summary .grid .obj2
1208 {
1209     font-family:     Arial;
1210     font-size:       10pt;
1211     font-weight:     normal;
1212     text-align:      center;
1213 }
1214
1215 /* SUBJECT STYLES - Used to adjust the subject based information.*/
1216 .subject
1217 {
1218     font-family:     Arial;
1219     border:          1pt solid RGB(31,50,98);
1220     font-size:       8pt;
1221     font-weight:     normal;
1222     text-align:      left;
1223     color:           RGB(31,50,98);
1224 }
1225
1226 .subject [borderStyle="none"]
1227 {
1228     border:          none;
1229 }
1230
1231 /* The subject full description as defined against the subject in TASS.web */
1232 /* In the online help sample this is style sheet element E25 */
1233 .subject .title
1234 {
1235     font-family:     Arial;

```

```

1236     font-size:      14pt;
1237     font-weight:    normal;
1238     background-color: RGB(31,50,98);
1239     padding-bottom: 3pt;
1240     padding-left:   3pt;
1241     vertical-align: middle;
1242     text-align:     left;
1243     border-right:   none;
1244     color:          #ffffff;
1245 }
1246
1247 /* Can be used to include white space to separate the subject description and results. */
1248 .subject .title .spacer
1249 {
1250     font-family:    Arial;
1251     font-size:      12pt;
1252     background-color: #FFFFFF;
1253     border:         none;
1254     display:        none;
1255 }
1256
1257 /* Possible setup when implementing VCE subjects.
1258 * Any subjects that have a category of VCE as defined in TASS.web will have a different sized spacer than other subjects. */
1259 .subject .title .spacer [(sub_cat)="VCE"]
1260 {
1261     display:        inline;
1262     fixed-height:   95pt;
1263 }
1264
1265 /* Label to print beside the subject name. Text entered in content field */
1266 /* In the online help sample this is style sheet element E101 */
1267 .subject .title .label
1268 {
1269     font-family:    Arial;
1270     font-size:      10pt;
1271     font-weight:    bold;
1272     background-color: RGB(31,50,98);
1273     padding-left:   3pt;
1274     border-right:   none;
1275     border-left:    1pt solid RGB(31,50,98);
1276     content:        "";
1277     /* width:       9%; */
1278 }
1279 /* Example showing how to turn off the subject label for specific subject codes */
1280 .subject .title .label [(sub_code)="xxxx"]
1281 {
1282     width:          1%;
1283     border-left:    1pt solid RGB(31,50,98);
1284     content:        " ";
1285 }
1286
1287 /* Will always display the teacher name on the same line as the subject title. */
1288 /* In the online help sample this is style sheet element E27 */
1289 .subject .teacher
1290 {
1291     font-family:    Arial;
1292     font-size:      10pt;
1293     font-weight:    normal;
1294     background-color: RGB(31,50,98);
1295     padding-bottom: 3pt;
1296     padding-left:   3pt;
1297     padding-right:  5pt;
1298     vertical-align: middle;
1299     text-align:     right;
1300     border-left:    none;

```

```

1301     color:          #ffffff;
1302 /* width:          25%; */
1303 }
1304
1305 /* Used to define the subject outline as entered in TASS.web. This will always display below the subject title and before the result section.*/
1306 /* In the online help sample this is style sheet element E28 */
1307 .subject .outline
1308 {
1309     font-family:     Arial;
1310     font-size:       10pt;
1311     font-weight:     normal;
1312     fixed-leading:   2.0;
1313     border:          1pt none RGB(31,50,98);
1314 }
1315
1316 /* Used to define the comment entered in webBook by teachers against the subject */
1317 /* In the online help sample this is style sheet element E39 */
1318 .subject .comment
1319 {
1320     font-family:     Arial;
1321     font-size:       10pt;
1322     font-weight:     normal;
1323     fixed-leading:   2.0;
1324     border:          1pt none RGB(31,50,98);
1325 }
1326
1327 /* Label to print before the subject comment. Text entered in content field. */
1328 /* In the online help sample this is style sheet element E105 */
1329 .subject .comment .label
1330 {
1331     font-family:     Arial;
1332     font-size:       12pt;
1333     font-weight:     bold;
1334     text-align:      left;
1335     color:           RGB(74,200,24);
1336     /*background-color: #CCCCCC;*/
1337     padding-top:     3pt;
1338     padding-left:    3pt;
1339     content:         "Comment";
1340     border:          1pt none RGB(31,50,98);
1341 }
1342
1343 /* OBJECTIVE STYLES - Controls how the objectives/criteria appear on the report. */
1344 .objective
1345 {
1346     font-family:     Arial;
1347     font-size:       10pt;
1348     font-weight:     normal;
1349     border:          1pt solid RGB(31,50,98);
1350     color:           RGB(31,50,98);
1351 }
1352
1353 .objective [borderStyle="none"]
1354 {
1355     border:          none;
1356 }
1357
1358 /* Controls the alternate row/column shading */
1359 .objective .altShading
1360 {
1361 }
1362
1363 /* Odd row/column shade */
1364 /* In the online help sample this is style sheet element E104 */
1365 .objective .altShading .color1

```

```
1366 {
1367     background-color: #FFFFFF;
1368 }
1369
1370 /* Even row/column shade */
1371 /* In the online help sample this is style sheet element E103 */
1372 .objective .altShading .color2
1373 {
1374     background-color: #EEEEEE;
1375 }
1376
1377 /* Controls how Objective Groups print in columns, as specified in the 'Print Objective Groups in Columns'
1378 * picklist on the Subject Options tab in TASS.web at run time. */
1379 .objective .groupColumns
1380 {
1381     border:          1pt none RGB(31,50,98);
1382     padding-top:     10pt;
1383 }
1384
1385 /* Controls the Objective Groups that print on the left of the page (odd Sort Num). */
1386 .objective .groupColumns .left
1387 {
1388     border:          1pt none RGB(31,50,98);
1389     padding-top:     0pt;
1390     padding-left:    10pt;
1391     padding-right:   2pt;
1392     width:           40%;
1393 }
1394
1395 /* Controls the Objective Group description. */
1396 /* In the online help sample this is style sheet element E106 */
1397 .objective .groupColumns .left .groupDescription
1398 {
1399     border:          1pt none RGB(31,50,98);
1400     font-weight:     bold;
1401     padding-top:     0pt;
1402     padding-bottom:  10pt;
1403 }
1404
1405 /* Controls the Objective description and column width (description width + result width should = 100%). */
1406 /* In the online help sample this is style sheet element E107 */
1407 .objective .groupColumns .left .description
1408 {
1409     border:          1pt none RGB(31,50,98);
1410     padding-top:     0pt;
1411     width:           70%;
1412 }
1413
1414 /* Controls the result and column width (description width + result width should = 100%). */
1415 /* In the online help sample this is style sheet element E109 */
1416 .objective .groupColumns .left .result
1417 {
1418     border:          1pt none RGB(31,50,98);
1419     fixed-height:    15pt;
1420     padding-left:    2pt;
1421     padding-top:     2pt;
1422     padding-bottom:  3pt;
1423     text-align:      right;
1424     width:           30%;
1425 }
1426
1427 /* Controls the result if a result related comment has been set up. */
1428 /* In the online help sample this is style sheet element E108 */
1429 .objective .groupColumns .left .result .comments
1430 {
```

```

1431     padding-top:    0pt;
1432     text-align:    left;
1433 }
1434 /* Controls the vertical space after each objective description and result row. */
1435 .objective .groupColumns .left .spacer
1436 {
1437     border:        none;
1438     height:       5pt;
1439     padding-top:   0pt;
1440 }
1441
1442 /* Controls the Objective Groups that print on the right of the page (even Sort Num). */
1443 .objective .groupColumns .right
1444 {
1445     border:        1pt none RGB(31,50,98);
1446     padding-top:   0pt;
1447     padding-right: 20pt;
1448     width:         40%;
1449 }
1450
1451 /* Controls the Objective Group description. */
1452 .objective .groupColumns .right .groupDescription
1453 {
1454     border:        none;
1455     font-weight:   bold;
1456     padding-top:   0pt;
1457     padding-bottom: 10pt;
1458     font-size:     0pt;
1459 }
1460
1461 /* Controls the Objective description and column width (description width + result width should = 100%). */
1462 .objective .groupColumns .right .description
1463 {
1464     padding-right: 0pt;
1465     padding-top:  0pt;
1466     width:        80%;
1467 }
1468
1469 /* Controls the result and column width (description width + result width should = 100%). */
1470 .objective .groupColumns .right .result
1471 {
1472     border:        1pt none RGB(31,50,98);
1473     fixed-height:  15pt;
1474     padding-left:  0pt;
1475     padding-right: 0pt;
1476     padding-top:   2pt;
1477     padding-bottom: 3pt;
1478     text-align:    center;
1479     width:         20%;
1480 }
1481
1482 /* Controls the result if a result related comment has been set up. */
1483 .objective .groupColumns .right .result .comments
1484 {
1485     padding-right: 10pt;
1486     padding-top:  0pt;
1487     text-align:    left;
1488 }
1489
1490 /* Controls the vertical space after each objective description and result row. */
1491 .objective .groupColumns .right .spacer
1492 {
1493     height:       5pt;
1494     padding-top:  0pt;
1495 }

```

```

1496
1497 /* Controls the objective group description as allocated in Result Formats in TASS.web */
1498 /* In the online help sample this is style sheet element E29 */
1499 .objective .groupDescription
1500 {
1501     font-family:    Arial;
1502     font-size:      10pt;
1503     font-weight:    Bold;
1504 }
1505
1506 .objective .groupDescription [(obj_grp_code)="AA"]
1507 {
1508     font-family:    Arial;
1509     font-size:      12pt;
1510     font-weight:    Bold;
1511     border:         none;
1512 }
1513
1514 /* Controls the objective group description in Dot Style layout */
1515 .objective .groupDescription .dotLayout
1516 {
1517     font-family:    Arial;
1518     font-size:      12pt;
1519     font-weight:    bold;
1520     border:         none;
1521 }
1522
1523 /* Controls the dot character when displayed in the Dot Style layout. */
1524 .objective .groupDescription .dotLayout .dot
1525 {
1526     font-family:    wingdings;
1527     font-size:      10pt;
1528     font-weight:    bold;
1529     content:        "#chr(108)#";
1530     border:         none;
1531 }
1532
1533 /* Controls the result under the objective group when displayed in the Dot Style layout */
1534 .objective .groupDescription .dotLayout .result
1535 {
1536     font-family:    Arial;
1537     font-size:      10pt;
1538     font-weight:    normal;
1539     border:         none;
1540     text-align:     left;
1541 }
1542
1543 /* Controls the description of the objectives allocated to the subject. */
1544 /* In the online help sample this is style sheet element E30 */
1545 .objective .description
1546 {
1547     font-family:    Arial;
1548     font-size:      10pt;
1549     font-weight:    normal;
1550     padding-left:   2pt;
1551     padding-right:  2pt;
1552     fixed-leading:  2.0;
1553 }
1554
1555 /* Example showing how to make one objective stand out by changing its weight to bold.
1556 * There is no limit to the number of objective codes that can be targeted. */
1557 .objective .description [(obj_code)="OG"]
1558 {
1559     font-family:    Arial;
1560     font-size:      10pt;

```



```

1561     font-weight:      bold;
1562 }
1563
1564 /* Controls the result as entered in webBook.*/
1565 /* In the online help sample this is style sheet element E31 */
1566 .objective .studentResult
1567 {
1568     font-family:      Arial;
1569     font-size:        10pt;
1570     font-weight:      normal;
1571     text-align:       center;
1572     padding-left:     2pt;
1573     padding-right:    2pt;
1574 }
1575
1576 /* Controls the appearance of the result if Use Result Related Comments is selected on the Subject Options tab in TASS.web at run time.
1577 * Defaults back to raw result when no result related comment is set up. */
1578 /* In the online help sample this is style sheet element E32 */
1579 .objective .studentResult .comments
1580 {
1581     text-align:       center;
1582     padding-left:     4pt;
1583     fixed-leading:    2.0;
1584 }
1585
1586 /* Used to setup the tickbox layout if Use Tickbox Layout is selected on the Other Options tab in TASS.web at run time.
1587 * Report in columns needs to be set up against the Objective Group in TASS.web for this to work. */
1588 .objective .columns
1589 {
1590     font-family:      Arial;
1591     font-size:        10pt;
1592     font-weight:      normal;
1593     text-align:       center;
1594     padding-left:     2pt;
1595     padding-right:    2pt;
1596     alignment:        right;
1597     width:            100%;
1598 }
1599
1600 /* Label to print below tick box layout objective groups. Text entered in content field. */
1601 .objective .columns .comment
1602 {
1603     content:          "";
1604     border:           none;
1605 }
1606
1607 /* Examples showing how different labels can be printed for different objective groups */
1608 .objective .columns .comment [(obj_grp_code)="ACC"]
1609 {
1610     text-align:       right;
1611     content:          "VL = Very Limited";
1612 }
1613
1614 .objective .columns .comment [(obj_grp_code)="LTD"]
1615 {
1616     content:          "1 = Excellent, 2 = Very Good, 3 = Good, 4 = Fair, 5 = Poor";
1617 }
1618
1619 .objective .columns .comment [(obj_grp_code)="LTL"]
1620 {
1621     content:          "A = Excellent, B = Very Good, C = Good, D = Fair, E = Poor";
1622 }
1623
1624 /* In the online help sample this is style sheet element E110 */
1625 .objective .columns .comment [(obj_grp_code)="OUT"]

```

```

1626 {
1627     padding-top:      3pt;
1628     padding-bottom:   10pt;
1629     text-align:       left;
1630     content:          "A = Excellent, B = Very Good, C = Good, D = Fair, E = Poor";
1631 }
1632
1633 /* Used to control the width of the description columns using the width tag. */
1634 /* In the online help sample t his is style sheet element E34 */
1635 .objective .columns .label
1636 {
1637     width:            20%;
1638     text-align:       left;
1639 }
1640
1641 /* Controls the objective group description as allocated in Result Formats in TASS.web.*/
1642 /* In the online help sample this is style sheet element E33 */
1643 .objective .columns .label .groupDescription
1644 {
1645     background-color: #EEEEEE;
1646 }
1647
1648 /* Controls the description of the objectives allocated to the subject. */
1649 /* In the online help sample this is style sheet element E36 */
1650 .objective .columns .label .description
1651 {
1652     text-align:       left;
1653 }
1654
1655 /* Controls the width of the result columns using the width tag. */
1656 /* In the online help sample this is style sheet element E38 */
1657 .objective .columns .result
1658 {
1659     text-align:       center;
1660     width:            5%;
1661 }
1662
1663 /* Lists the column text set up against the Objective Group in Report in columns in TASS.web */
1664 /* In the online help sample this is style sheet element E35 */
1665 .objective .columns .result .description
1666 {
1667     text-align:       center;
1668     background-color: #EEEEEE;
1669 }
1670
1671 /* Controls the character displayed in the column of the result the student achieved. Uses wingding ASCII codes. */
1672 /* In the online help sample this is style sheet element E37 */
1673 .objective .columns .result .tick
1674 {
1675     font-family:      wingdings;
1676     content:          "#chr(252)#";
1677 }
1678
1679 /* Controls the border for Sliding Scale Continuum results */
1680 /* In the online help sample this is style sheet element EXX */
1681 .objective .columns .result .slidingScale
1682 {
1683     border:          1pt solid RGB(31,50,98);
1684 }
1685
1686 /* Controls the dot icon for Sliding Scale Continuum results */
1687 /* In the online help sample this is style sheet element EXX */
1688 .objective .columns .result .slidingScale .dot
1689 {
1690     font-family:      ZapfDingbats;

```

```

1691 content: "#chr(108)#";
1692 font-size: 10pt;
1693 font-weight: normal;
1694 color: RGB(74,200,24);
1695 padding-top: -15pt;
1696 text-align: center;
1697 border: none;
1698 }
1699
1700 /* Controls the result label for Sliding Scale Continuum results */
1701 /* In the online help sample this is style sheet element EXX */
1702 .objective .columns .result .slidingScale .label
1703 {
1704 font-family: Arial;
1705 font-size: 7pt;
1706 font-weight: normal;
1707 color: RGB(31,50,98);
1708 text-align: left;
1709 padding-left: -4pt;
1710 padding-right: -4pt;
1711 padding-top: -17pt;
1712 border: none;
1713 }
1714
1715 /* Controls the rightmost (last) result label for Sliding Scale Continuum results */
1716 /* In the online help sample this is style sheet element EXX */
1717 .objective .columns .result .slidingScale .lastlabel
1718 {
1719 font-family: Arial;
1720 font-size: 7pt;
1721 font-weight: normal;
1722 color: RGB(31,50,98);
1723 text-align: right;
1724 padding-left: -4pt;
1725 padding-right: -4pt;
1726 padding-top: -17pt;
1727 border: none;
1728 }
1729
1730 /* Controls the horizontal line for Sliding Scale Continuum results */
1731 /* borders top, left and right are not to be modified */
1732 /* In the online help sample this is style sheet element EXX */
1733 .objective .columns .result .slidingScale .Line
1734 {
1735 border-bottom: 1pt solid RGB(31,50,98);
1736 border-top: none;
1737 border-left: none;
1738 border-right: none;
1739 }
1740
1741 /* Controls the left vertical line (end marker) for Sliding Scale Continuum results */
1742 /* borders top, bottom and left are not to be modified */
1743 /* In the online help sample this is style sheet element EXX */
1744 .objective .columns .result .slidingScale .LeftEndMarker
1745 {
1746 fixed-height: 8pt;
1747 border-right: 1pt solid RGB(31,50,98);
1748 border-top: none;
1749 border-left: none;
1750 border-bottom: none;
1751 }
1752
1753 /* Controls the right vertical line (end marker) for Sliding Scale Continuum results */
1754 /* borders top, bottom and right are not to be modified */
1755 /* In the online help sample this is style sheet element EXX */

```

```

1756 .objective .columns .result .slidingScale .RightEndMarker
1757 {
1758     fixed-height:      8pt;
1759     border-left:       1pt solid RGB(31,50,98);
1760     border-top:        none;
1761     border-bottom:     none;
1762     border-right:      none;
1763 }
1764
1765 /* Controls the background color for Shade Cells results */
1766 /* In the online help sample this is style sheet element EXX */
1767 .objective .columns .result .shade
1768 {
1769     background-color:  RGB(74,200,24);
1770 }
1771
1772 /* Used to setup the student distribution charts. */
1773 .objective .chart
1774 {
1775     text-align:        center;
1776     border:            none;
1777     padding-top:       5pt;
1778 }
1779
1780 /* Controls the subject title as shown at the top of the chart.*/
1781 .objective .chart .header
1782 {
1783     font-family:       Arial;
1784     font-size:         0pt;
1785     font-weight:       normal;
1786     background-color:  #FFFFFF;
1787     padding-bottom:    3pt;
1788     padding-left:      3pt;
1789     vertical-align:    middle;
1790     text-align:        center;
1791     border-right:      none;
1792     color:             RGB(31,50,98);
1793 }
1794
1795 /* Controls how the chart shows on the page. This includes size of the graph and background colour.*/
1796 .objective .chart .image
1797 {
1798     width:             300pt;
1799     height:            150pt;
1800     background-color:  #FFFFFF;
1801     border:            none;
1802     font-size:         12pt;
1803     font-weight:       bold;
1804     border-left:       1px solid RGB(31,50,98);
1805     border-top:        1px solid RGB(31,50,98);
1806 }
1807
1808 /* Controls whether horizontal grid lines show on the graph.*/
1809 /* In the online help sample this is style sheet element E60 */
1810 .objective .chart .xgridlines
1811 {
1812     border:            none;
1813 }
1814
1815 /* Controls whether vertical grid lines show on the graph.*/
1816 .objective .chart .ygridlines
1817 {
1818     border-style:      solid;
1819 }
1820

```

```

1821 /* Sets the colour for all columns excluding the column that represents the current student's result. */
1822 /* In the online help sample this is style sheet element E62 */
1823 .objective .chart .column
1824 {
1825     color:          #1F3262;
1826 }
1827
1828 /* Sets the colour for the column that represents the current student's result. */
1829 /* In the online help sample this is style sheet element E61 */
1830 .objective .chart .column .current
1831 {
1832     color:          #4ac818;
1833 }
1834
1835 /* Controls a single general comment that appears after distribution graphs. */
1836 /* In the online help sample this is style sheet element E63 */
1837 .objective .chart .comment
1838 {
1839     padding-top:    0pt;
1840     content:        "Your child's position in the subject group is indicated by the green bar.";
1841 }
1842
1843 /* Controls the Days Absent fields as selected in the Other Options tab in TASS.web at run time. */
1844 /* In the online help sample this is style sheet element E67*/
1845 .daysAbsent
1846 {
1847     font-family:    Arial;
1848     font-size:      0pt;
1849     font-weight:    normal;
1850     text-align:     left;
1851     color:          RGB(31,50,98);
1852 }
1853
1854 /* This can be used to include the General comments subject on the subject page of the report.
1855 * The position 'Before First Subject', 'After Last Subject' or 'After Extra Curricular'
1856 * must be selected from the Other Options tab in TASS.web at run time for this to be included. */
1857 .generalComments
1858 {
1859     font-family:    Arial;
1860     font-size:      10pt;
1861     font-weight:    normal;
1862     color:          RGB(31,50,98);
1863     border:         1pt solid RGB(31,50,98);
1864     text-align:     left;
1865     vertical-align: top;
1866 }
1867
1868 .generalComments [borderStyle="none"]
1869 {
1870     border:         none;
1871 }
1872
1873 /* In the online help sample this is style sheet element E64 */
1874 .generalComments .subjectName
1875 {
1876     font-family:    Arial;
1877     font-size:      14pt;
1878     font-weight:    normal;
1879     background-color: #CCCCCC;
1880     color:          RGB(31,50,98);
1881     vertical-align: top;
1882 }
1883
1884 /* This will control the comment text as entered in webBook. */
1885 /* In the online help sample this is style sheet element E65 */

```

```

1886 .generalComments .comment
1887 {
1888     font-family:    Arial;
1889     font-size:      10pt;
1890     font-weight:    normal;
1891     border-bottom:  0pt none RGB(31,50,98);
1892     fixed-leading:  2.0;
1893 }
1894
1895 /* The teacher name prints after the comment.*/
1896 /* In the online help sample this is style sheet element E66 */
1897 .generalComments .teacher
1898 {
1899     font-family:    Arial;
1900     font-size:      10pt;
1901     font-weight:    normal;
1902     border-top:     none;
1903     text-align:     left;
1904     padding-top:    30pt;
1905 }
1906
1907 /* RESULT DISTRIBUTION STYLES - used to control the size and layout of the distribution table. */
1908 /* In the online help sample this is style sheet element E41 */
1909 .resultDistribution
1910 {
1911     font-family:    Arial;
1912     font-size:      10pt;
1913     font-weight:    normal;
1914     color:          RGB(31,50,98);
1915     text-align:     center;
1916     border:         1pt solid RGB(31,50,98);
1917 }
1918
1919 .resultDistribution [borderStyle="none"]
1920 {
1921     border:         none;
1922 }
1923
1924 /* Controls the title of the distribution table. "Distribution of [objective description, as defined in TASS.web] this semester across the year level" */
1925 /* In the online help sample this is style sheet element E40 */
1926 .resultDistribution .title
1927 {
1928     font-family:    Arial;
1929     font-size:      10pt;
1930     font-weight:    normal;
1931     text-align:     left;
1932     background-color: #EEEEEE;
1933 }
1934
1935 /* EXTRA-CURRICULAR STYLES - 'left', 'bottom', 'width' used to control placement on cover page */
1936 .extraCurricular
1937 {
1938     font-family:    Arial;
1939     font-size:      12pt;
1940     font-weight:    bold;
1941     color:          RGB(31,50,98);
1942     border:         none;
1943     left:           45pt;
1944     bottom:         660pt;
1945     width:          360pt;
1946 }
1947
1948 /* Defines the heading of the extra curricular section. Prints "Extra Curricular" if nothing is specified in the content tag. */
1949 /* In the online help sample this is style sheet element E73 */
1950 .extraCurricular .title

```

```

1951 {
1952     font-family:    Arial;
1953 /* background-color: #CCCCCC; */
1954     padding-bottom: 3pt;
1955     padding-left:   3pt;
1956     vertical-align: middle;
1957     font-size:      12pt;
1958     text-align:     left;
1959     border:         1pt none RGB(31,50,98);
1960     color:          RGB(74,200,24);
1961     content:        "Co-Curricular Activities";
1962 }
1963
1964 .extraCurricular .title [borderStyle="none"]
1965 {
1966     border:         none;
1967 }
1968
1969 /* Controls the activity type as specified in TASS.web */
1970 /* In the online help sample this is style sheet element E75 */
1971 .extraCurricular .type
1972 {
1973     font-family:    Arial;
1974     font-size:      10pt;
1975     font-weight:    bold;
1976 }
1977
1978 /* Controls the activity as specified in TASS.web. Use 'width' to control the column widths for activity and UD (derived) */
1979 /* In the online help sample this is style sheet element E76 */
1980 .extraCurricular .activity
1981 {
1982     font-family:    Arial;
1983     font-size:      10pt;
1984     font-weight:    normal;
1985     width:          28%;
1986 }
1987
1988 /* Controls the year, level, and any UD against the activity as specified in TASS.web */
1989 /* In the online help sample this is style sheet element E77 */
1990 .extraCurricular .ud
1991 {
1992     font-family:    Arial;
1993     font-size:      10pt;
1994     font-weight:    normal;
1995 }
1996
1997 /* Controls the comment against the activity as specified in TASS.web */
1998 .extraCurricular .comment
1999 {
2000     font-family:    Arial;
2001     font-size:      10pt;
2002     font-weight:    bold;
2003 }
2004
2005 /* Space between the two columns of side-by-side EC activities */
2006 /* In the online help sample this is style sheet element E111 */
2007 .extraCurricular .columnSpacing
2008 {
2009     width:          4%;
2010 }
2011
2012 /* Page overflow message for side-by-side EC activities. Text entered in content field. */
2013 .extraCurricular .continuation
2014 {
2015     font-family:    Arial;

```

```

2016     font-size:      12pt;
2017     font-style:     italic;
2018     font-weight:    bold;
2019     text-align:     left;
2020     left:            40pt;
2021     bottom:         15pt;
2022     content:        "Co-Curricular Activities Continued ...";
2023 }
2024
2025 /* SIGNATORY STYLES - 'left', 'bottom', 'width' used to control placement on cover page */
2026 .signatory
2027 {
2028     font-family:     Arial;
2029     font-size:       12pt;
2030     color:           RGB(31,50,98);
2031     font-weight:     normal;
2032     border:          none;
2033     left:            45pt;
2034     bottom:          110pt;
2035     width:           360pt;
2036 }
2037
2038 /* Controls the signatory name and signatory title as defined in TASS.web */
2039 /* In the online help sample this is style sheet element E71 */
2040 .signatory .title
2041 {
2042     font-family:     Arial;
2043     font-size:       12pt;
2044     border-top:      1pt solid RGB(31,50,98);
2045 }
2046
2047 /* Controls the white space above the signatures */
2048 /* In the online help sample this is style sheet element E68 */
2049 .signatory .spacer
2050 {
2051     font-family:     Arial;
2052     font-size:       12pt;
2053     min-height:      65pt;
2054 }
2055
2056 /* Controls the digital signature images */
2057 /* In the online help sample this is style sheet element E69 */
2058 .signatory .image
2059 {
2060     vertical-align:  bottom;
2061     padding-bottom:  5pt;
2062     border-bottom:   1pt solid RGB(31,50,98);
2063     height:          100pt;
2064     width:           100pt;
2065 }
2066
2067 .signatory .imagecell
2068 {
2069     vertical-align:  bottom;
2070     padding-bottom:  5pt;
2071     height:          100pt;
2072     width:           100pt;
2073 }
2074
2075 /* Can be used to switch off the horizontal signatory line when no digital image is used. */
2076 /* In the online help sample this is style sheet element E70 */
2077 .signatory .blank
2078 {
2079     font-family:     Arial;
2080     font-size:       12pt;

```



```

2081     border-bottom:    1pt solid RGB(31,50,98);
2082 }
2083
2084 /* Controls the horizontal distance between multiple signatures.*/
2085 /* In the online help sample this is style sheet element E72 */
2086 .signatory .spacing
2087 {
2088     border:            none;
2089     padding:           15pt;
2090     text-align:        center;
2091 }
2092
2093 /* SPACERS */
2094 /* Used to define the space between the elements of a subject. */
2095 /* In the online help sample this is style sheet element E54 */
2096 .spacer
2097 {
2098     height:            5pt;
2099     border:            none;
2100 }
2101
2102 /* Used to define the space between each subject on a page. */
2103 /* In the online help sample this is style sheet element E74 */
2104 .spacer10
2105 {
2106     height:            10pt;
2107     border:            none;
2108 }
2109
2110 /* PROGRESSIVE ASSESSMENT ACTIVITY STYLES */
2111 .PAactivity
2112 {
2113     font-family:        Arial;
2114     font-size:          10pt;
2115     font-weight:        normal;
2116     border:            none;
2117     color:              RGB(31,50,98);
2118 }
2119
2120 .PAactivity [borderStyle="none"]
2121 {
2122     border:            none;
2123 }
2124
2125 .PAactivity .description
2126 {
2127     font-family:        Arial;
2128     font-size:          10pt;
2129     font-weight:        Bold;
2130     padding-left:       2pt;
2131     padding-right:      2pt;
2132 }
2133
2134 .PAactivity .activityResult
2135 {
2136     font-family:        Arial;
2137     font-size:          10pt;
2138     font-weight:        normal;
2139     text-align:         center;
2140     padding-left:       2pt;
2141     padding-right:      2pt;
2142 }
2143
2144 .PAactivity .criteriaDescription
2145 {

```

```
2146     font-family:    Arial;
2147     font-size:      10pt;
2148     font-weight:    normal;
2149     padding-left:   20pt;
2150     padding-right:  2pt;
2151 }
2152
2153 .PAactivity .criteriaResult
2154 {
2155     font-family:    Arial;
2156     font-size:      10pt;
2157     font-weight:    normal;
2158     text-align:     center;
2159     padding-left:   2pt;
2160     padding-right:  2pt;
2161 }
2162
2163 .PAactivity .groupColumns
2164 {
2165     border:         none;
2166     font-family:    Arial;
2167     font-size:      10pt;
2168     font-weight:    normal;
2169     text-align:     left;
2170     padding-left:   2pt;
2171     padding-right:  2pt;
2172 }
2173
2174 .PAactivity .groupColumns .left
2175 {
2176     font-family:    Arial;
2177 }
2178
2179 /* Controls the progressive assessment activity description */
2180 .PAactivity .groupColumns .left .description
2181 {
2182     font-family:    Arial;
2183     font-size:      10pt;
2184     font-weight:    normal;
2185     text-align:     left;
2186     padding-left:   2pt;
2187     padding-right:  2pt;
2188 }
2189
2190 /* Controls the activity result */
2191 .PAactivity .groupColumns .left .activityResult
2192 {
2193     font-family:    Arial;
2194     font-size:      10pt;
2195     font-weight:    normal;
2196     text-align:     center;
2197     padding-left:   2pt;
2198     padding-right:  2pt;
2199 }
2200
2201 .PAactivity .groupColumns .left .criteriaDescription
2202 {
2203     font-family:    Arial;
2204     font-size:      10pt;
2205     font-weight:    normal;
2206     text-align:     left;
2207     padding-left:   20pt;
2208     padding-right:  2pt;
2209 }
2210
```

```
2211 /* Controls the criteria result */
2212 .PAactivity .groupColumns .left .criteriaResult
2213 {
2214     font-family:    Arial;
2215     font-size:      10pt;
2216     font-weight:    normal;
2217     text-align:     center;
2218     padding-left:   2pt;
2219     padding-right:  2pt;
2220 }
2221
2222 .PAactivity .groupColumns .right
2223 {
2224     font-family:    Arial;
2225 }
2226
2227 /* Controls the progressive assessment activity description */
2228 .PAactivity .groupColumns .right .description
2229 {
2230     font-family:    Arial;
2231     font-size:      10pt;
2232     font-weight:    normal;
2233     text-align:     left;
2234     padding-left:   2pt;
2235     padding-right:  2pt;
2236 }
2237
2238 /* Controls the activity result */
2239 .PAactivity .groupColumns .right .activityResult
2240 {
2241     font-family:    Arial;
2242     font-size:      10pt;
2243     font-weight:    normal;
2244     text-align:     center;
2245     padding-left:   2pt;
2246     padding-right:  2pt;
2247 }
2248
2249 .PAactivity .groupColumns .right .criteriaDescription
2250 {
2251     font-family:    Arial;
2252     font-size:      10pt;
2253     font-weight:    normal;
2254     text-align:     left;
2255     padding-left:   20pt;
2256     padding-right:  2pt;
2257 }
2258
2259 /* Controls the criteria result */
2260 .PAactivity .groupColumns .right .criteriaResult
2261 {
2262     font-family:    Arial;
2263     font-size:      10pt;
2264     font-weight:    normal;
2265     text-align:     center;
2266     padding-left:   2pt;
2267     padding-right:  2pt;
2268 }
2269
```